



CARMO
Lighting

2024 Catalogue



CARMO LIGHTING

COMPANY PROFILE

In de afgelopen 20 jaar heeft LED-technologie een opmerkelijke revolutie doorgemaakt die de hele verlichtingsindustrie sterk heeft beïnvloed en opnieuw vorm heeft gegeven. Wij geloven dat de verscheidenheid aan lichtbehoeften van mensen deze keer echt zal worden bevredigd.

Carmo Lighting wordt gevormd door een groep elektrotechnische, licht ontwerpende ingenieurs, die 8-15 jaar werkervaring hebben en overweldigende prestaties hebben geleverd.

Sinds haar geboorte omschrijft Carmo Lighting zichzelf als een lichtvernieuwer, die klanten en consumenten betrouwbare kwaliteit, diverse functies en marktgerichte verlichtingsproducten biedt. We hebben een volwassen productontwikkelingsstrategie ontwikkeld, gebaseerd op de 'menselijke behoefte aan verlichting'.


Nu concentreren we ons op het commerciële verlichtingsproduct, ons belangrijkste product, waaronder LED-spots, LED rail verlichting en LED winkel en bedrijfs-verlichting.

Er zijn meer dan 100 verschillende LED producten in ons assortiment, elk komt voort uit een doordachte visie over verlichting en daar zijn we trots op.

Alle Carmo Lighting-producten voldoen aan de Europese regelgeving, waaronder CE SELV EnEc EMC GS LVD RoHS, waardoor al onze klanten zich veilig en milieuvriendelijk kunnen voelen bij de aankoop.

Carmo Lighting zal u opmerkelijke innovatieve ledlampen leveren, die u naar een nieuw niveau van verlichtingsbegrip brengen.

20 Type Magnetic Track Light





Magnetic Track Rail

CARMO
Lighting



○ white

● black

Recessed Mounted

Surface Mounted

CR-MGTR-02

CR-MGTR-01




20 Type MAGNETIC TRACK RAIL

Model NO.	Size	Installation
CR-MGTR-02-1	L1000×W52×H17mm	Recessed Mounted
CR-MGTR-02-2	L2000×W52×H17mm	
CR-MGTR-02-3	L3000×W52×H17mm	

Model NO.	Size	Installation
CR-MGTR-01-1	L1000×W27×H21mm	Surface Mounted
CR-MGTR-01-2	L2000×W27×H21mm	
CR-MGTR-01-3	L3000×W27×H21mm	

○ white
● black



Recessed Mounted

Suspended Mounted

CR-MGTR-04

CR-MGTR-03




20 Type
MAGNETIC
TRACK RAIL

Model NO.	Size	Installation	Model NO.	Size	Installation
CR-MGTR-03-1	L1000×W26.75×H51.3mm	Suspended Mounted	CR-MGTR-04-1	L1000×W62.65×H34.8mm	Recessed Mounted
CR-MGTR-03-2	L2000×W26.75×H51.3mm		CR-MGTR-04-2	L2000×W62.65×H34.8mm	
CR-MGTR-03-3	L3000×W26.75×H51.3mm		CR-MGTR-04-3	L3000×W62.65×H34.8mm	

 Magnetic LED Track Light

CARMO
Lighting



○ white ● black ○ silver



OSRAM



LIFUD EAGLERISE



48V



CRI > 80/CRI > 90/CRI > 95



TUYA ZIGBEE/DALI/1-10V



24°/36°



Model NO.	Power	CCT	Lm/W	Size	Installation	Warranty
CR-MGTL-C5	5W	3000K/4000K/6000K	80~90lm/w	Φ35×H80mm	Track Mounted	3years
CR-MGTL-C10	10W			Φ45×H102mm		
CR-MGTL-C15	15W			Φ55×H115mm		
CR-MGTL-C20	20W			Φ65×H133mm		



20 Type



○ white ● black ○ silver



OSRAM



LIFUD EAGLERISE



48V



CRI > 80/CRI > 90/CRI > 95



TUYA ZIGBEE/DALI/1-10V



24°/36°



Model NO.	Power	CCT	Lm/W	Size	Installation	Warranty
CR-MGFD-300-S10	10W	3000K/4000K/6000K	80~90lm/w	L303×W22×H44mm	Track Mounted	3years
CR-MGFD-600-S20	20W			L602×W22×H44mm		
CR-MGFD-900-S30	30W			L902×W22×H44mm		



Magnetic LED Grille Light

CARMO
Lighting



20 Type



○ white ● black ○ silver



OSRAM



LIFUD EAGLERISE



48V



CRI > 80/CRI > 90/CRI > 95




TUYA ZIGBEE/DALI/1-10V



24°/36°



Model NO.	Power	CCT	Lm/W	Size	Installation	Warranty
CR-MGGL01-S6	6W	3000K/4000K/6000K	80~90lm/w	L112×W22×H44mm	Track Mounted	3years
CR-MGGL01-S12	12W			L220×W22×H44mm		
CR-MGGL01-S18	18W			L327×W22×H44mm		



20 Type

○ white ● black ○ silver



OSRAM



LIFUD EAGLERISE



48V



CRI > 80/CRI > 90/CRI > 95



TUYA ZIGBEE/DALI/1-10V



24°/36°



Model NO.	Power	CCT	Lm/W	Size	Installation	Warranty
CR-MGGL02-S6	6W	3000K/4000K/6000K	80~90lm/w	L110×W24×H120mm	Track Mounted	3years
CR-MGGL02-S12	12W			L220×W24×H110mm		



○ white ● black ○ silver



20 Type



OSRAM



LIFUD EAGLERISE



48V



CRI > 80/CRI > 90/CRI > 95




TUYA ZIGBEE/DALI/1-10V



24°/36°



Model NO.	Power	CCT	Lm/W	Size	Installation	Warranty
CR-MGPL-C5	5W	3000K/4000K/6000K	80~90lm/w	Φ40×H300mm	Track Mounted	3years
CR-MGPL-C10	10W			Φ55×H300mm		



20 Type



24°/36°




CR-MGPL05-T-C5



CR-MGPL02-T-C5

Model NO.	Power	CCT	Lm/W	Size	Installation	Warranty
CR-MGPL05-T-C5	5W	3000K/4000K/5000K	80~90lm/w	Φ190×H195mm	Track Mounted	3years
CR-MGPL02-T-C5	5W	3000K/4000K/5000K	80~90lm/w	Φ85×H90mm	Track Mounted	3years



20 Type



24°/36°



CR-MGPL09-T-C5



CR-MGPL06-T-C8

Model NO.	Power	CCT	Lm/W	Size	Installation	Warranty
CR-MGPL09-T-C5	5W	3000K/4000K/5000K	80~90lm/w	Φ120×H180mm	Track Mounted	3years
CR-MGPL06-T-C8	8W	3000K/4000K/5000K	80~90lm/w	Φ180×H150mm	Track Mounted	3years



Surface Mounted

Recessed Mounted



ULTRATHIN MAGNETIC TRACK RAIL

Model NO.	Size	Installation
CR-MGTR-T-SF-1	L1000×W23×H6.5mm	Surface Mounted
CR-MGTR-T-SF-1.5	L1500×W23×H6.5mm	
CR-MGTR-T-SF-2	L2000×W23×H6.5mm	

Model NO.	Size	Installation
CR-MGTR-T-RS-1	L1000×W60×H6.5mm	Recessed Mounted
CR-MGTR-T-RS-1.5	L1500×W60×H6.5mm	
CR-MGTR-T-RS-2	L2000×W60×H6.5mm	

Ultrathin Magnetic LED Spot Light

CARMO
Lighting



○ white ● black ○ silver



Ultrathin Type



OSRAM



LIFUD EAGLERISE



48V





CRI > 80/CRI > 90/CRI > 95



TUYA ZIGBEE




24°/36°



Model NO.	Power	CCT	Lm/W	Size	Installation	Warranty
CR-MGSP01-T-C6	6W	3000K/4000K/6000K	80~90lm/w	L120×W24×H26mm	Track Mounted	3years
CR-MGSP01-T-C12	12W			L236×W24×H46mm		



○ white ● black ○ silver



OSRAM



LIFUD EAGLERISE



48V





CRI > 80/CRI > 90/CRI > 95



TUYA ZIGBEE



120°



Ultrathin Type



Model NO.	Power	CCT	Lm/W	Size	Installation	Warranty
CR-MGSP02-T-C6	6W	3000K/4000K/6000K	80~90lm/w	L120×W24×H26mm	Track Mounted	3years
CR-MGSP02-T-C12	12W			L236×W24×H46mm		

Ultrathin Magnetic LED Track Light

CARMO
Lighting



○ white ● black ○ silver



Ultrathin Type



OSRAM



LIFUD EAGLERISE



48V





CRI > 80/CRI > 90/CRI > 95




TUYA ZIGBEE



24°/36°



Model NO.	Power	CCT	Lm/W	Size	Installation	Warranty
CR-MGTL-T-C5	5W	3000K/4000K/5000K	80~90lm/w	Φ35×H80mm	Track Mounted	3years
CR-MGTL-T-C10	10W			Φ45×H103mm		
CR-MGTL-T-C15	15W			Φ55×H114mm		
CR-MGTL-T-C20	20W			Φ65×H133mm		



EOS LED COB DOWNLIGHT



LED COB DOWNLIGHT

CARMO
Lighting



○ white ● black ○ silver



CITIZEN CREE



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V



15° 24° 36° 50°



Ø75mm/Ø95mm/Ø125mm/Ø145mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-DL03B-C15	15W	3000K/4000K/5000K	90~100lm/w	Φ84×H64mm	Φ75mm	3/5years
CR-DL04B-C20	20W			Φ106×H68mm	Φ95mm	
CR-DL05B-C30	30W			Φ140×H81mm	Φ125mm	
CR-DL06B-C40	40W			Φ170×H81mm	Φ145mm	

ARES LED COB DOWNLIGHT



LOW-GLARE COB DOWNLIGHT

CARMO
Lighting



○ white ● black ○ silver



CREE CITIZEN



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



Ra CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V



12°/24°/38°/55°



Φ75mm/Φ90mm/Φ125mm
Φ165mm/Φ200mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-DL03-C10	10W	3000/4000/5000K	90~100lm/w	Φ86 × 55mm	Φ75mm	5 years
CR-DL04-C15	15W			Φ101 × 60mm	Φ90mm	
CR-DL05-C30	30W			Φ140 × 73mm	Φ125mm	
CR-DL06-C35	35W			Φ180 × 94mm	Φ165mm	
CR-DL06-C40	40W			Φ180 × 94mm	Φ165mm	
CR-DL08-C50	50W			Φ212 × 110mm	Φ200mm	



LUNA LED COB DOWNLIGHT

LUNA LED COB DOWNLIGHT

CARMO
Lighting



○ white ● black ○ silver



CITIZEN CREE



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V



24° 36° 60°



Φ75mm/Φ85mm/Φ95mm
Φ110mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-DL03A-C10	10W	3000K/4000K/5000K	90~100lm/w	Φ82×H53mm	Φ75mm	3/5years
CR-DL03.5A-C12	12W			Φ96×H58mm	Φ85mm	
CR-DL04A-C15	15W			Φ106×H63mm	Φ95mm	
CR-DL04.5A-C20	20W			Φ123×H68mm	Φ110mm	



○ white ● black ○ silver



OSRAM BRIDGELUX



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V



90°



Φ75mm/Φ85mm/Φ95mm
Φ110mm/Φ145mm/Φ170mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-DL03A-S10	10W	3000K/4000K/5000K	90~100lm/w	Φ82×H53mm	Φ75mm	3/5years
CR-DL03.5A-S12	12W			Φ96×H58mm	Φ85mm	
CR-DL04A-S15	15W			Φ106×H63mm	Φ95mm	
CR-DL04.5A-S20	20W			Φ123×H68mm	Φ110mm	
CR-DL06A-S30	30W			Φ155×H76mm	Φ145mm	
CR-DL07A-S40	40W			Φ185×H83mm	Φ170mm	




APOLLO 3CCT SWITCHABLE DOWNLIGHT



Switch to set CCT



Switch



C 6000K

CW 4000K

W 3000K

3CCT SWITCHABLE DOWNLIGHT

CARMO
Lighting



white black sliver



Bridgelux SMD



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V



70°



Φ 70mm/Φ 90mm/Φ 105mm
Φ 140mm/Φ 165mm/Φ 200mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-DL03DX-S6	6W	3CCT Switchable: 3000/4000/6000K	90~100lm/w	Φ90×H45mm	Φ 70mm	5 years
CR-DL04DX-S9	9W			Φ105×H65mm	Φ 90mm	
CR-DL05DX-S15	15W			Φ130×H68mm	Φ 105mm	
CR-DL06DX-S18	18W			Φ165×H90mm	Φ 140mm	
CR-DL07DX-S25	25W			Φ185×H95mm	Φ 165mm	
CR-DL08DX-S35	35W			Φ220×H105mm	Φ 200mm	



LED GIMBAL DOWNLIGHT

CARMO
Lighting



○ white ● black ○ silver



CREE CITIZEN PHILIPS



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



Ra CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V



15°/24°/38°



Φ 75mm/Φ 95mm/Φ 110mm
Φ 125mm/Φ 145mm/Φ 175mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-DL03G-C10	10W	2700K/3000K 4000K/5000K	90~100lm/w	Φ90×H60mm	Φ75mm	5years
CR-DL03.5G-C15	15W			Φ102×H80mm	Φ90mm	
CR-DL04G-C20	20W			Φ124×H108mm	Φ110mm	
CR-DL05G-C30	30W			Φ140×H115mm	Φ125mm	
CR-DL06G-C35	35W			Φ160×H135mm	Φ145mm	
CR-DL08G-C50	50W			Φ190×H160mm	Φ175mm	



IP65 DOWNLIGHT SERIES

Round & Square | Four color Four size





white
 black
 dull silver
 Gold



CITIZEN CREE



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V



15°/24°/38°/60°



Ø75mm/Ø90mm/Ø125mm
Ø145mm/Ø165mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-DLR03IP-C15	15W	3000K/4000K/5000K	90~100lm/w	Φ86×H54mm	Φ75mm	3/5years
CR-DLR04IP-C18	18W			Φ100×H64mm	Φ90mm	
CR-DLR05IP-C28	28W			Φ136×H83mm	Φ125mm	
CR-DLR06IP-C38	38W			Φ158×H96mm	Φ145mm	
CR-DLR07IP-C48	48W			Φ180×H109mm	Φ165mm	



○ white ● black ○ dull silver ● Gold



CITIZEN CREE



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V



15°/24°/38°/60°



90 x 90mm/125 x 125mm
145 x 145mm/165 x 165mm





IP65 Water-proof



SMD 2835



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V



100°



Φ 75mm/Φ 95mm/Φ 110mm/Φ 160mm




Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-DL03IP-S7	7W	3000/4000/5000K	90~100lm/w	Φ 95 × H47mm	Φ 75mm	5 years
CR-DL04IP-S15	15W			Φ 112 × H50mm	Φ 95mm	
CR-DL05IP-S15	15W			Φ 145 × H50mm	Φ 110mm	
CR-DL06IP-S28	28W			Φ 190 × H50mm	Φ 160mm	





IP65 WATER-PROOF LED SPOTLIGHT



IP65 WATER-PROOF LED SPOTLIGHT

CARMO
Lighting



white
 black
 Gloss silver
 Golden
 Gun black
 Dull silver



CREE CITIZEN BRIDGELUX



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V



15°/24°/38°/60°



Ø55mm/Ø75mm/Ø95mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-SP02IP-C7	7W	3000K/4000K/5000K	80~90lm/w	Φ62×H70mm	Φ55mm	5years
CR-SP03IP-C12	12W			Φ84×H80mm	Φ75mm	
CR-SP03IP-C15	15W			Φ84×H110mm	Φ75mm	
CR-SP04IP-C20	20W			Φ110×H110mm	Φ95mm	
CR-SP04IP-C30	30W			Φ110×H130mm	Φ95mm	

REES LED SPOTLIGHT



White



Black



Gloss silver



Golden



Gun black



Dull silver



Round



Oval




Fixed



Adjustable



Round



White



Black



Gloss silver



Golden



Gun black



Dull silver



Square



Oval




Square

REES LED SPOTLIGHT

Round | Square

—





white
 black
 Gloss silver
 Golden
 Gun black
 Dull silver



CREE CITIZEN BRIDGELUX



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V



8°/15°/24°/38°/60°



Φ 55mm/Φ 75mm/Φ 95mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-SP01R-C7	7W	3000/4000/5000K	80~90lm/w	Φ 62 × H79mm	Φ 55mm	5 years
CR-SP01R-C12	12W			Φ 84 × H100mm	Φ 75mm	
CR-SP01R-C20	20W			Φ 110 × H121mm	Φ 95mm	



white
 black
 Gloss silver
 Golden
 Gun black
 Dull silver



CREE CITIZEN BRIDGELUX



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V




8°/15°/24°/38°/60°



55 x 55mm/75 x 75mm/95 x 95mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-SP01S-C7	7W	3000/4000/5000K	80~90lm/w	L64 x W64 x H88mm	55 x 55mm	5 years
CR-SP01S-C12	12W			L85 x W85 x H112mm	75 x 75mm	
CR-SP01S-C20	20W			L105 x W105 x H138mm	95 x 95mm	





○ white ● black ○ Gloss silver ● Golden ○ Gun black ○ Dull silver



CREE CITIZEN BRIDGELUX



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V




8°/15°/24°/38°/60°



Ø55mm/Ø75mm/Ø95mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-SP01RT-C7	7W	3000/4000/5000K	80~90lm/w	H79mm	Φ55mm	5 years
CR-SP01RT-C12	12W			H100mm	Φ75mm	
CR-SP01RT-C20	20W			H121mm	Φ95mm	



 white
  black
  Gloss silver
  Golden
  Gun black
  Dull silver



CREE CITIZEN BRIDGELUX



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V



8°/15°/24°/38°/60°



58 × 58mm/77 × 77mm/97 × 97mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-SP01ST-C7	7W	3000/4000/5000K	80~90lm/w	H88mm	58 × 58mm	5 years
CR-SP01ST-C12	12W			H112mm	77 × 77mm	
CR-SP01ST-C20	20W			H138mm	97 × 97mm	

CR-SP0102R



○ white ● black ● Gloss silver ● Golden ● Gun black ● Dull silver



CREE CITIZEN BRIDGELUX



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V




8°/15°/24°/38°/60°



126 × 65mm/178 × 88mm/223 × 109mm
120 × 60mm/164 × 77mm/207 × 95mm





CR-SP0102S




Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-SP0102R-C14	2 × 7W	3000/4000/5000K	80~90lm/w	L140 × W79 × H84mm	Φ 126 × 65mm	5 years
CR-SP0102R-C24	2 × 12W			L194 × W104 × H112mm	Φ 178 × 88mm	
CR-SP0102R-C40	2 × 20W			L239 × W125 × H134mm	Φ 223 × 109mm	
CR-SP0102S-C14	2 × 7W			L130 × W69 × H84mm	120×60mm	
CR-SP0102S-C24	2 × 12W			L180 × W91 × H112mm	164 × 77mm	
CR-SP0102S-C40	2 × 20W			L224 × W110 × H134mm	207 × 95mm	



CR-SP0102ST



CR-SP0102RT



white black Gloss silver Golden Gun black Dull silver



CREE CITIZEN BRIDGELUX



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V



8°/15°/24°/38°/60°



129 × 68mm/180 × 91mm/225 × 111mm
123 × 62mm/167 × 80mm/209 × 97mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-SP0102RT-C14	2 × 7W	3000/4000/5000K	80~90lm/w	H84mm	Φ 129 × 68mm	5 years
CR-SP0102RT-C24	2 × 12W			H112mm	Φ 180 × 91mm	
CR-SP0102RT-C40	2 × 20W			H134mm	Φ 225 × 111mm	
CR-SP0102ST-C14	2 × 7W			H84mm	118×60mm	
CR-SP0102ST-C24	2 × 12W			H112mm	167 × 80mm	
CR-SP0102ST-C40	2 × 20W			H134mm	209 × 97mm	



EVO LED SPOTLIGHT

LED COB SPOTLIGHT



CARMO
Lighting




○ white ● black ○ silver



-  CREE CITIZEN BRIDGELUX
-  TRIDONIC PHILIPS LIFUD
-  AC 200~240V 50/60Hz
-  Ra CRI > 80/CRI > 90/CRI > 95
-  DIMMABLE DALI/TRIAC/1-10V
-  15°/24°/38°/60°
-  Ø60mm




Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-SP04R-C8	8W	3000K/4000K/5000K	80~90lm/w	Φ66×H67mm	Φ60mm	3/5years



LED COB SPOTLIGHT

CARMO
Lighting



○ white ● black ○ silver



CREE CITIZEN BRIDGELUX



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V



15°/24°/38°/60°



65×65mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-SP04S-C8	8W	3000K/4000K/5000K	80~90lm/w	71×71×H76mm	65×65mm	3/5years



○ white ● black ○ silver



CREE CITIZEN BRIDGELUX



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CR > 80 / CR > 90 / CR > 95





DALI/TRIAC/1-10V



15°/24°/38°/60°




Φ60mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-SP04RT-C8	8W	3000K/4000K/5000K	80~90lm/w	Φ66×H67mm	Φ60mm	3/5years

TRIMLESS LED COB SPOTLIGHT



CARMO
Lighting



○ white ● black ○ silver



-  CREE CITIZEN BRIDGELUX
-  TRIDONIC PHILIPS LIFUD
-  AC 200~240V 50/60Hz
-  Ra CRI > 80/CRI > 90/CRI > 95
-  DIMMABLE DALI/TRIAC/1-10V
-  15°/24°/38°/60°
-  65×65mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-SP04ST-C8	8W	3000K/4000K/5000K	80~90lm/w	71×71×H76mm	65×65mm	3/5years

ECO LED SPOTLIGHT



Round



Round



Trimless



Matt white



Matt black



Dull silver



Glossy silver



Gun black



CREE CITIZEN BRIDGELUX



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V



15°/24°/38°



Φ55mm/Φ75mm/Φ95mm





CREE CITIZEN BRIDGELUX



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V



15°/24°/38°



Φ55mm/Φ75mm
Φ95mm/Φ120mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-SP02SE-C5	5W	3000K/4000K/5000K	80~90lm/w	L63 × W63 × H63mm	Φ55mm	5 years
CR-SP03SE-C7	7W			L85 × W85 × H76mm	Φ75mm	
CR-SP03SE-C9	9W			L85 × W85 × H76mm	Φ75mm	
CR-SP03SE-C12	12W			L85 × W85 × H93mm	Φ75mm	
CR-SP03SE-C15	15W			L85 × W85 × H93mm	Φ75mm	
CR-SP04SE-C20	20W			L105 × W105 × H99mm	Φ95mm	
CR-SP05SE-C30	30W			L130 × W130 × H115mm	Φ120mm	

LED SPOTLIGHT

CARMO
Lighting



CREE CITIZEN BRIDGELUX



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



Ra CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V



15°/24°/38°




Φ 65mm/Φ 85mm/Φ 105mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-SP02TE-C5	5W	3000K/4000K/5000K	80~90lm/w	H80mm	Φ 65mm	5 years
CR-SP03TE-C7	7W			H80mm	Φ 65mm	
CR-SP03TE-C9	9W			H95mm	Φ 85mm	
CR-SP03TE-C12	12W			H95mm	Φ 85mm	
CR-SP04TE-C20	20W			H110mm	Φ 105mm	

MINI SPOTLIGHT



MINI SPOTLIGHT

CARMO
Lighting



○ white
● black



CR-MN01-C1



CR-MN01-C2



CREE CITIZEN BRIDGELUX



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90





DALI/TRIAC/1-10V



8°/15°/24°/36°/45°/60°



Ø 25mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-MN01-C1	1W	3000K/4000K/5000K	80~90lm/w	Φ 32 x H24mm	Φ25mm	5 years
CR-MN01-C2	2W			Φ 32 x H49.5mm	Φ25mm	



○ white ● black



CREE CITIZEN BRIDGELUX



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90





DALI/TRIAC/1-10V



15°/24°/36°




Φ30mm / Φ40mm / Φ50mm / Φ60mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-MN02-C1	1W	3000K/4000K/5000K	80~90lm/w	Φ 38 x H39mm	Φ30mm	5 years
CR-MN02-C3	3W			Φ 45 x H51mm	Φ40mm	
CR-MN02-C5	5W			Φ 56 x H56mm	Φ50mm	
CR-MN02-C7	7W			Φ 57 x H65mm	Φ50mm	
CR-MN0201-C7	7W			Φ 70 x H79mm	Φ60mm	

MINI SPOTLIGHT

CARMO
Lighting



○ white
● black



CREE CITIZEN BRIDGELUX



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90





DALI/TRIAC/1-10V



15°/24°/36°



Φ 25mm / Φ 35mm / Φ 45mm / Φ 55mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-MN03-C3	3W	3000K/4000K/5000K	80~90lm/w	Φ 30 x H65mm	Φ25mm	5 years
CR-MN03-C5	5W			Φ 40 x H58mm	Φ35mm	
CR-MN03-C7	7W			Φ 40 x H68mm	Φ35mm	
CR-MN0301-C7	7W			Φ 50 x H70mm	Φ45mm	
CR-MN03-C9	9W			Φ 60 x H85mm	Φ55mm	



○ white
● black



CREE CITIZEN BRIDGELUX



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90





DALI/TRIAC/1-10V



15°/24°/36°



Ø35mm / Ø45mm / Ø55mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-MN04-C3	3W	3000K/4000K/5000K	80~90lm/w	Φ40 x H60mm	Φ35mm	5 years
CR-MN04-C7	7W			Φ50 x H72mm	Φ45mm	
CR-MN04-C12	12W			Φ60 x H87mm	Φ55mm	

MINI SPOTLIGHT

CARMO
Lighting



○ white
● black



CREE CITIZEN BRIDGELUX



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90



DALI/TRIAC/1-10V





15°/24°/36°



Φ 35mm / Φ 45mm / Φ 55mm /
Φ 65mm / Φ 75mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-MN05-C3	3W	3000K/4000K/5000K	80~90lm/w	Φ 42 x H56mm	Φ35mm	5 years
CR-MN05-C7	7W			Φ 52 x H60mm	Φ45mm	
CR-MN05-C10	10W			Φ 61.7 x H66.5mm	Φ55mm	
CR-MN0501-C10	10W			Φ 72 x H70mm	Φ65mm	
CR-MN05-C12	12W			Φ 80 x H72mm	Φ75mm	



CR-LD02-S10



CR-LD03-S10



CR-LD01T-S10



CR-LD01-S10


LED LINEAR DOWNLIGHT SERIES

LED LINEAR DOWNLIGHT



CARMO
Lighting



○ white ● black ○ silver



-  OSRAM CREE
-  TRIDONIC PHILIPS LIFUD
-  AC 200~240V 50/60Hz
-  CRI > 80/CRI > 90/CRI > 95
-  DALI/TRIAC/1-10V
-  15°/30°/45°
-  37×37mm/68×37mm/140×37mm
273×37mm/405×37mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-LD01-S2	2W	3000K/4000K/6000K	80~90lm/w	L45×W45×H49mm	37×37mm	5 years
CR-LD01-S4	4W			L75×W45×H49mm	68×37mm	
CR-LD01-S10	10W			L147×W45×H49mm	140×37mm	
CR-LD01-S20	20W			L280×W45×H49mm	273×37mm	
CR-LD01-S30	30W			L413×W45×H49mm	405×37mm	



TRIMLESS LED LINEAR DOWNLIGHT



CARMO
Lighting



 white
  black
  silver



-  OSRAM CREE
-  TRIDONIC PHILIPS LIFUD
-  AC 200~240V 50/60Hz
-  CRI > 80/CRI > 90/CRI > 95
-  DALI/TRIAC/1-10V
-  15°/30°/45°
-  42×41mm/72×41mm/145×41mm
277×41mm/410×41mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-LD01T-S2	2W	3000K/4000K/6000K	80~90lm/w	L91×W38×H49mm	42×41mm	5 years
CR-LD01T-S4	4W			L91×W69×H49mm	72×41mm	
CR-LD01T-S10	10W			L141×W72×H49mm	145×41mm	
CR-LD01T-S20	20W			L274×W72×H49mm	277×41mm	
CR-LD01T-S30	30W			L406×W72×H49mm	410×41mm	



white black silver



OSRAM CREE



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V



24°/36°



48×48mm/122×27mm/236×27mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-LD02-S8	8W	3000K/4000K/6000K	80~90lm/w	L52×W52×H40mm	48×48mm	5 years
CR-LD02-S10	10W			L126×W31×H40mm	122×27mm	
CR-LD02-S20	20W			L240×W31×H40mm	236×27mm	

ADJUSTABLE LED LINEAR DOWNLIGHT

CARMO
Lighting



white black silver



OSRAM CREE



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V



24°/36°




136×43mm/250×43mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-LD03-S10	10W	3000K/4000K/6000K	80~90lm/w	L141×W49×H44mm	136×43mm	5 years
CR-LD03-S20	20W			L255×W49×H44mm	250×43mm	





○ white ● black ○ silver



OSRAM CREE



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V



30°/60°



48×28mm/57×28mm/48×48mm
104×28mm/68×68mm/200×28mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-LD04-S3	3W	3000K/4000K/6000K	80~90lm/w	L52×W32×H40mm	48×28mm	5 years
CR-LD04-S5	5W			L62×W32×H40mm	57×28mm	
CR-LD04-S7	7W			L52×W52×H40mm	48×48mm	
CR-LD04-S8	8W			L108×W32×H40mm	104×28mm	
CR-LD04-S12	12W			L71×W71×H40mm	68×68mm	
CR-LD04-S20	20W			L204×W32×H40mm	200×28mm	



LED TRACK SPOTLIGHT


CARMO
Lighting





130
LM/W



○ white ● black ○ silver



-  CREE CITIZEN PHILIPS
-  GLOBAL PHILIPS TRIDONIC
-  AC220~240V 50/60Hz
-  CRI > 80/CRI > 90/CRI > 95
-  DALI/TRIAC
-  15°24°38°



Model NO.	Power	CCT	Lm/W	Size	Track Adaptor	Warranty
CR-TL1220-C20	20W	3000/4000/5000K	130lm/w	Φ71xH85mm	1 phase/3phase	3years
CR-TL1220-C30	30W			Φ82xH100mm		
CR-TL1220-C35	35W			Φ100xH105mm		



○ white ● black ○ silver



CREE CITIZEN PHILIPS



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz





CRI > 80/CRI > 90/CRI > 95



DALI/TRIAC/1-10V



15°/24°/38°



Model NO.	Power	CCT	Lm/W	Size	Track Adaptor	Warranty
CR-TL0915-C10	10W	2700/3000/4000/5000K	90~100lm/w	Φ60 × 115mm	1 phase/3phase	3years
CR-TL0915-C20	20W	2700/3000/4000/5000K	90~100lm/w	Φ75 × 130mm	1 phase/3phase	3years
CR-TL0915-C30	30W	2700/3000/4000/5000K	90~100lm/w	Φ88 × 155mm	1 phase/3phase	3years





LED TRACK SPOTLIGHT

CARMO
Lighting



○ white ● black ○ silver



CREE CITIZEN PHILIPS



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz





CRI > 80/CRI > 90/CRI > 95




DALI/TRIAC/1-10V



12°/24°/40°/60°






LED TRACK SPOTLIGHT



CARMO
Lighting



○ white
● black



-  CREE CITIZEN PHILIPS
-  GLOBAL PHILIPS TRIDONIC
-  AC220~240V 50/60Hz
-  CRI > 80/CRI > 90/CRI > 95
-  DALI/TRIAC
-  60°x90°



Model NO.	Power	CCT	Lm/W	Size	Track Adaptor	Warranty
CR-TL1218-C35	35W	3000/4000/5000K	130lm/w	L134xW97xH146mm	3phase	3years
CR-TL1218-C40	40W			L134xW97xH146mm		



 GU10 TRACK SPOTLIGHT FIXTURE




 white  black  silver




GU10 bulb excluded

AC 200~240V 50/60Hz 



Model NO.	Power	Size	Track Adaptor	Warranty
CR-GU0610	GU10 halogen, 50W Max or LED lamps	Φ 60 × 100mm	1 phase/3phase	3 years



☐ white ☒ black ☐ silver




GU10 bulb excluded



AC 200~240V 50/60Hz



Model NO.	Power	Size	Track Adaptor	Warranty
CR-GU0410	GU10 halogen, 50W Max or LED lamps	Φ55×L100mm	1 phase/3phase	3 years





CR-GU0510

○ white ● black



CR-GU0510SF



GU10 bulb excluded



AC 200~240V 50/60Hz



Model NO.	Power	Size	Track Adaptor	Warranty
CR-GU0510	GU10 halogen, 50W Max or LED lamps	Φ55 × 100mm	1 phase/3phase	3 years
CR-GU0510SF	GU10 halogen, 50W Max or LED lamps	Φ55 × 100mm	Surface Mounted	3 years








LED Strechable Spotlight



-  CREE CITIZEN BRIDGELUX
-  TRIDONIC PHILIPS LIFUD
-  AC 200~240V 50/60Hz
-  Ra CRI > 80/CRI > 90/CRI > 95
-  DALI/TRIAC/1-10V
-  15°/24°/38°/50°
-  Φ 55mm/ Φ 75mm/ Φ 95mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-SP02R-C5	5W	3000/4000/5000K	80~90lm/w	Φ 62 × H86mm	Φ 55mm	5 years
CR-SP02R-C7	7W			Φ 84 × H104mm	Φ 75mm	
CR-SP02R-C9	9W			Φ 84 × H104mm	Φ 75mm	
CR-SP02R-C20	20W			Φ 110 × H127mm	Φ 95mm	



CREE CITIZEN BRIDGELUX



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V



15°/24°/38°/50°






55 × 55mm/75 × 75mm/95 × 95mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-SP02S-C5	5W	3000/4000/5000K	80~90lm/w	64 × 64 × H94mm	55 × 55mm	5 years
CR-SP02S-C7	7W			85 × 85 × H116mm	75 × 75mm	
CR-SP02S-C9	9W			85 × 85 × H116mm	75 × 75mm	
CR-SP02S-C20	20W			105 × 105 × H144mm	95 × 95mm	



CR-SP0202S



CR-SP0202R



CREE CITIZEN BRIDGELUX



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



Ra CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V



15°/24°/38°/50°



126 × 65mm/178 × 88mm/223 × 109mm
120 × 60mm/164 × 77mm/207 × 95mm





Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-SP0202R-C10	2×5W	3000/4000/5000K	80~90lm/w	140×79×H91mm	Φ126 × 65mm	5 years
CR-SP0202R-C14	2×7W			194×104×H116mm	Φ178 × 88mm	
CR-SP0202R-C18	2×9W			194×104×H116mm	Φ178 × 88mm	
CR-SP0202R-C40	2×20W			239×125×H142mm	Φ223 × 109mm	
CR-SP0202S-C10	2×5W			130×69×H91mm	120 × 60mm	
CR-SP0202S-C14	2×7W			180×91×H116mm	164 × 77mm	
CR-SP0202S-C18	2×9W			180×91×H116mm	164 × 77mm	
CR-SP0202S-C40	2×20W			224×110×H142mm	207 × 95mm	





Trimless LED Stretchable Spotlight



-  CREE CITIZEN BRIDGELUX
-  TRIDONIC PHILIPS LIFUD
-  AC 200~240V 50/60Hz
-  Ra CRI > 80/CRI > 90/CRI > 95
-  DIMMABLE DALI/TRIAC/1-10V
-  15°/24°/38°/50°
-  Φ 58mm/ Φ 77mm/ Φ 97mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-SP02RT-C5	5W	3000/4000/5000K	80~90lm/w	H86mm	Φ 58mm	5 years
CR-SP02RT-C7	7W			H104mm	Φ 77mm	
CR-SP02RT-C9	9W			H104mm	Φ 77mm	
CR-SP02RT-C20	20W			H127mm	Φ 97mm	



CREE CITIZEN BRIDGELUX



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V



15°/24°/38°/50°



58 × 58mm/77 × 77mm/97 × 97mm




Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-SP02ST-C5	5W	3000/4000/5000K	80~90lm/w	H94mm	58 × 58mm	5 years
CR-SP02ST-C7	7W			H116mm	77 × 77mm	
CR-SP02ST-C9	9W			H116mm	77 × 77mm	
CR-SP02ST-C20	20W			H144mm	97 × 97mm	



CR-SP0202ST



CR-SP0202RT



CREE CITIZEN BRIDGELUX



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz



CRI > 80/CRI > 90/CRI > 95





DALI/TRIAC/1-10V



15°/24°/38°/50°



129 × 68mm/180 × 91mm/225 × 111mm
123 × 62mm/167 × 80mm/209 × 97mm



Model NO.	Power	CCT	Lm/W	Size	Cutout	Warranty
CR-SP0202RT-C10	2×5W	3000/4000/5000K	80~90lm/w	H91mm	Φ 129 × 68mm	5 years
CR-SP0202RT-C14	2×7W			H116mm	Φ 180 × 91mm	
CR-SP0202RT-C18	2×9W			H116mm	Φ 180 × 91mm	
CR-SP0202RT-C40	2×20W			H142mm	Φ 225 × 111mm	
CR-SP0202ST-C10	2×5W			H91mm	120 × 62mm	
CR-SP0202ST-C14	2×7W			H116mm	167 × 80mm	
CR-SP0202ST-C18	2×9W			H116mm	167 × 80mm	
CR-SP0202ST-C40	2×20W			H142mm	209 × 97mm	



IP20 Surface Mounted Downlight





white black silver



CREE CITIZEN PHILIPS



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz





CRI > 80/CRI > 90/CRI > 95



DALI/TRIAC/1-10V



15°/24°/36°/60°



Model NO.	Power	CCT	Lm/W	Size	Installation	Warranty
CR-SF03-C15	15W	3000K 4000K 5000K	90~100lm/w	Φ 75 × H147mm	Surface Mounted	5 years
CR-SF04-C25	25W			Φ 97 × H152mm		
CR-SF05-C30	30W			Φ 115 × H135mm		
CR-SF06-C40	40W			Φ 140 × H160mm		
CR-SF07-C50	50W			Φ 170 × H198mm		
CR-SF07-C60	60W			Φ 170 × H198mm		



LED LINEAR LIGHT





○ white ● black ○ silver



BRIDGELUX



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz





CRI > 80/CRI > 90/CRI > 95



DALI/TRIAC/1-10V



120°



Model NO.	Power	CCT	Lm/W	Size	Installation	Warranty
CR-ML4075P-18	18W	2700/3000K 4000/5000K	75~85lm/w	L600 × W40 × H75mm	Suspended/ Surface Mounted	5 years
CR-ML4075P-36	36W			L1200 × W40 × H75mm		
CR-ML4075P-48	48W			L1500 × W40 × H75mm		



○ white ● black ○ silver



BRIDGELUX



TRIDONIC PHILIPS LIFUD



AC 200~240V 50/60Hz





CRI > 80/CRI > 90/CRI > 95



DALI/TRIAC/1-10V



120°





Model NO.	Power	CCT	Lm/W	Size	Installation	Warranty
CR-ML5075P-18	18W	2700/3000K 4000/5000K	75~85lm/w	L600 × W50 × H75mm	Suspended/ Surface Mounted	5 years
CR-ML5075P-40	40W			L1200 × W50 × H75mm		
CR-ML5075P-48	48W			L1500 × W50 × H75mm		



○ white ● black ● silver

-  BRIDGELUX
-  TRIDONIC PHILIPS LIFUD
-  AC 200~240V 50/60Hz
-  CRI > 80/CRI > 90/CRI > 95
-  DALI/TRIAC/1-10V
-  120°



Model NO.	Power	CCT	Lm/W	Size	Installation	Warranty
CR-ML7075P-18	18W	2700/3000K 4000/5000K	75~85lm/w	L600 × W70 × H75mm	Suspended/ Surface Mounted	5 years
CR-ML7075P-40	40W			L1200 × W70 × H75mm		
CR-ML7075P-48	48W			L1500 × W70 × H75mm		